# New Zealand 670nm Laser Diode Module



## Overview

The LDM115G/670/3 is an Imatronic range of self-contained OEM Laser Diode Module emits dots, lines or crosses. It is designed for industrial applications and offers superior ruggedness within a range of industry standard package sizes. RLDC series, very small size, glass collimator, focusable, power typ. 2 mW, sm, power supply 3 VDC, size 8 x 27. 5 mm, available wavelengths 635 nm, 650 nm, 670 nm or 850 nm LDM-1x series, PCB mountable, focusable (100 µm spotsize), divergence < 1 mrad, beam size at aperture 1 x 2. Key features of these diode lasers include a high output power up to 11 watts. 670nm 5mW 9um SM fiber coupled laser diode module is equipped with SMF-28 Fiber, features a coaxial package design, the product size is compact, and the photodiode and TE Cooler is optional.

## Article Content

DOT LASER MODULES

Small Size Laser Diode Modules RLDC series, very small size, glass collimator, focusable, power typ. 2 mW, sm, power supply 3 VDC, size 8 x 27.5 mm, available wavelengths 635 nm, 650 nm, 670 nm or

LDM115G/670/3 IMATRONIC, Laser Module, 670 nm, 3 mW

The LDM115G/670/3 is an Imatronic range of self-contained OEM Laser Diode Module emits dots, lines or crosses. It is designed for industrial applications and offers superior ruggedness within a range of

3.0mW 670nm, LDM Focusable Laser Diode

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Compact LDM Focusable Laser Diode Modules are self-contained and compact and offer a variety of features. They are an ideal replacement for a helium-neon laser in many applications and offer the

LD-670-21B Laser Diode

The LD-670-21B Fiber Coupled Laser Diode consists of Fabry-Perot lasers, having a fiber pigtail precisely attached for optimum coupling efficiency. This 670 nm center wavelength version has a

670nm Laser Diode, High Power (11 WATTS)

These fiber-coupled modules offer R&D lab researchers and system integrators a state-of-the-art high power semiconductor laser at 670 nm. Key features of these

670 nm 5 mW SMF Laser Diode Module & Driver

670 nm fiber-coupled laser diode module delivering 5 mW through 9 µm SMF, with integrated driver—a compact IR laser module ideal for OEM and sensing applications.

Laser Diode Modules

We offer laser diode modules with free space or fiber coupled output for industrial and scientific applications. Please see our Laser Diode Module Guide for

670 nm 5 mW PM Fiber-Pigtailed Laser Diode Module

670 nm laser diode module with polarization-maintaining fiber and 5 mW output. Compact ir laser module / laser diode and driver for sensing and OEM systems.

Global Laser 1068-43-000 Laser Module 670 nm 3 mW Continuous

The Beta CW series from Global Laser consists of high-quality continuous wave visible laser diode modules. The modules combine a laser diode, driver circuitry and collimating lens, all housed in a

Laser Diodes – Mouser New Zealand

Laser diodes are available at Mouser Electronics from industry leading manufacturers. Mouser is an authorized distributor for many laser diode manufacturers including ams Osram, KYOCERA AVX,

Diode Laser Modules | Coherent

Coherent Diode Laser Modules are compact, economic modules that provide the beam shape, wavelength, and power you need for your instrument or research.

3.0mW 670nm, LDM Focusable Laser Diode

*© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved*

Compact LDM Focusable Laser Diode Modules ideal as a HeNe laser replacement with superior durability and small size are available at Edmund Optics.

670nm Laser Diode, High Power (11 WATTS)

High Power 670nm Laser Diode Overview: These 670nm high power laser diodes offer up to 11 watts of optical output power. These fiber-coupled modules offer

## Contact Us

Continue your research online:

Website: https://cgweb.co.za
Technical inquiry: https://cgweb.co.za/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

*© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved*