
Selectivity of Component Relay Protection



Overview

Relay Coordination Study: Selectivity Calculations | EEPThe scope of study involves calculating the settings for protective Basic protection relay knowledg.

Key Takeaways

Selectivity in relay protection ensures that only the faulty section of a power system is disconnected, minimizing the impact on the rest of the network.

Definition and Importance

Selectivity, also known as discrimination, is a fundamental requirement in power system protection. It ensures that only the circuit breaker closest to the fault operates, leaving upstream and parallel sections operational. This prevents unnecessary outages, reduces equipment stress, and maintains system stability.

In medium voltage networks, unselective operation may inconvenience consumers, while in high voltage or national grid systems, it can trigger widespread blackouts by disconnecting multiple generators and feeders unnecessarily. Methods to Achieve SelectivityTime-Graded ProtectionTime grading involves setting relay operating times so that the relay nearest the fault trips first. This can be implemented using: Definite time relays: operate after a fixed time regardless of fault current magnitude.

Inverse time relays: operate faster for higher fault currents, making them suitable for radial networks where fault current varies along the feeder.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Current-

Graded Protection

Current grading adjusts relay settings based on fault current magnitude, ensuring that downstream relays trip for lower currents while upstream relays respond only to higher currents. Combining time and current grading enhances selectivity, especially in complex networks.

Zone and Backup Coordination

Relays are coordinated in primary and backup zones. The primary relay closest to the fault trips first, while upstream relays act as backups with a time delay. This ensures that if the primary relay fails, the fault is still cleared without affecting the entire system.

Practical Considerations

Relay Settings: Must account for normal load currents, transient phenomena, and fault current levels. For example, medium voltage ground fault relays may be set between 10–40 A, with time delays to avoid false trips during inrush currents.

IE

C Standards: IEC 60255 and IEC 60947 provide guidelines for relay coordination, defining time-current curves, selectivity criteria, and grading margins to ensure reliable and interoperable protection. Network Type: Radial networks benefit from inverse time relays, while meshed or complex networks may require distance or differential relays for selective operation.

Benefits of Selective Protection

Minimizes outage areas and service interruptions. Protects equipment by isolating only the faulted section. Enhances system stability and reliability.

Reduces operational and maintenance costs by preventing unnecessary trips. In summary, relay selectivity is achieved through careful coordination of time, current, and zone settings, guided by standards and network characteristics. Properly implemented, it ensures fast, reliable, and safe fault isolation while maintaining maximum system availability.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Article Content

Basic protection relay knowledge

A fast and selective arc fault mitigation for air-insulated LV & MV switchgear and Relion protection and control relays and sensor technology protect staff and plant facilities for many years.

Power System Protective Relays: Principles & Practices

Abstract: Protective relays and devices have been developed over 100 years ago to provide “last line” of defense for the electrical systems. They are intended to quickly identify a fault and isolate it so the

Distribution Automation Handbook

The measuring principle ensures that the relay operates exclusively on faults inside the area of protection, which means that the protection is absolutely selective.

Selectivity and sensitivity of overcurrent relay protections

The paper discusses the conditions for setting the overcurrent protection and how they determine the sensitivity and selectivity of these protection in medium voltage power grids.

Strategies for Selectivity in Relay Protection Systems

Strategies for selectivity in relay protection systems are approaches used to ensure that only the faulty section of a power system is disconnected during a problem, keeping the rest of the...

Relay Protection in HV/MV Substations: Calculations, Settings ...

Effective relay protection in HV/MV substations requires a thorough approach encompassing calculations, precise settings, meticulous coordination, informed relay selection, and

Relay Protection: Scheme Design And Coordination

Relay protection is the discipline of designing schemes that detect faults, coordinate relays, and isolate equipment without outages. It emphasizes selectivity, coordination, fault response, and system

Protective Relaying Philosophy and Design Guidelines

2.2.2 Selectivity is the ability of the protective relaying to trip the minimum circuits or equipment to isolate the fault. Coordination is required with the adjacent protec-tion schemes including breaker failure,

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Relay Coordination Procedure: Guide to Power System Protection

This comprehensive guide explains the relay coordination process, key protection principles, industry standards, and engineering best practices used to achieve selective coordination in industrial,

Achieving Relay Coordination and Selective Short

Relay Coordination & Selective Protection The selected protection principle affects the operating speed of the protection, which has a significant

Four ways of ensuring proper selectivity in MV/HV

The essentials of proper selectivity Selectivity study of a power system is usually considered as an advanced job for advanced engineers, mostly relay

Basic protection relay knowledge

Problem with selectivity can also cause a loss of stability due to loss of too many transmission paths. The components used in the power system are usually dimensioned to withstand a short circuit

Lecture 4 | PDF

This document discusses the desirable attributes of power system protection, including dependability, security, sensitivity, selectivity, reliability, and the necessity of speed in relaying. Dependability refers

Types of Protective Relays

This article covers various types of protective relays, such as overcurrent, directional, and differential relays, highlighting their operating characteristics and applications in electrical systems.

Basic Theories of Power System Relay Protection

Relay protection with good performance should meet the requirements of reliability, selectivity, speed and sensitivity. In order to meet the requirements of a complex network, relay protection principles

What is selectivity in the context of protective relays?

Conclusion: Understanding the concept of selectivity in protective relays is essential for ensuring the safe and reliable operation of electrical power systems. Selectivity ensures that faults

Distribution Automation Handbook

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

The selectivity diagram is a set of specific time/current curves which shows all the time/current curves, that is, the operating characteristics of the relays of the concerned chain of protection relays.

Protection Basics

♦ Symmetrical locked rotor current ♦ Subtransient component ♦ Asymmetrical (dc offset) component effectively removed from element by microprocessor-based relay

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://cgweb.co.za
Technical inquiry: https://cgweb.co.za/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved