
UK AOC Active Optical Cable 800G



Overview

The 800G QSFP-DD Active Optical Cable is designed for 800 Gigabit Ethernet links over OM4 multimode fibre. This cable is compliant with IEEE 802. 3ck, QSFP-DD HW Specification Rev 6. The built-in digital diagnostics monitoring (DDM) allows access to real-time operating. This cable is a 2x 400Gb/s twin-port OSFP (Octal Small Form-factor Pluggable) to 2x 400Gb/s twin-port OSFP active optical cable (AOC). Ask a question?

Features: • Active Optical Cable for 50m links •. The 800G Active Optical Cable (AOC) series redefines data-center interconnect performance by combining the simplicity of a pluggable copper cable with the reach and signal integrity of embedded optics. Ideal for runs from 7 meters to 100 meters across rows of racks.

Article Content

3m (10ft) Juniper Networks OSFP-800G-AOC-3M Compatible 800G

The 800G AOC cable is suitable for high-speed network transmission, data centres, cloud computing, and large-scale network device connections. It provides a high-speed, low-latency, reliable, and

800G OSFP AOC – Westbury Photonics

The Westbury Photonics 800G QSFP AOC (active optical cable) is suitable for

800G OSFP & QSFP-DD Active Optical Cables (AOC)

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

The 800G Active Optical Cable (AOC) series redefines data-center interconnect performance by combining the simplicity of a pluggable copper cable with the

Active Optical Cables (AOC) for 100G–800G | Wave2Wave

Active optical cables in 800G OSFP, 400G QSFP-DD, 100G QSFP28. Custom lengths up to 100m, vendor-coded for NVIDIA / Cisco / Arista / Juniper.

800G | Pureoptics

AOC (Active Optical Cable) and DAC (Direct Attach Copper) 800G cables provide high-speed connectivity for large-scale network infrastructures. AOC 800G cables utilize active optical fibers to

800G OSFP Active Optical Cable (AOC) 1m 2m 3m up

Offering an impressive data transfer rate of up to 800G, this AOC cable is ideal for applications such as cloud computing, artificial intelligence, and big data

ATGBICS AOC-QSFP-DD-800G-100M-AT InfiniBand/fibre optic cable

It is suitable for short reach connection between two QSFP-DD ports in 800G interconnecting networking applications. Our product meets the specification of Universally Coded MSA AOC-QSFP-DD-800G

ATGBICS AOC-OSFP-800G-1M Universally Coded MSA compatible

It is suitable for short reach connection between two OSFP ports in 800G interconnecting networking applications. Our product meets the specification of Universally Coded MSA AOC-OSFP-800G-1M

SFP+ Cables

Online shopping. w/24h-delivery, 7Days & Refund Guarantee. CE, RoHS and ISO9001 Certified. SFP+ Cables, QSFP+ Cables, MiniSAS Cables, XFP Cables, CX4 Cables and Fiber Optic Transceivers.

HTF DWDM equipment,OTN Solution,QSFP28 OSFP

MPO-LC Breakout Cable Direct Attach Twinax Cables (DACs) 100G 40G DAC 400G 200G DAC 25G 10G DAC 800G DAC Active Optical Cables (AOCs) 100G 40G

400G QSFP-DD to QSFP-DD Active Optical Cable (AOC)

400G QSFP-DD to QSFP-DD Active Optical Cable QuickSpecs Technical Specifications Quad Small Form-factor Pluggable Double Density (QSFP-DD) Active Optical Cable. Active cable assembly. 400

AOC-Q28-4SFP28-25G-5M

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Please send me the AOC-Q28-4SFP28-25G-5M - Dell Compatible 5 Metre 100G QSFP28 to 4x25G SFP28 Breakout Active Optical Cable datatsheet.

FS Transceivers | Premium Optical Transceivers & Fiber Solutions

FS Transceivers offers high-performance optical transceivers, fiber optic modules, and data center connectivity solutions. Compatible with Cisco, Arista, Juniper. Shop 400G/800G transceivers now!

100G QSFP28 to QSFP28 Active Optical Cable (AOC)

Technical Specifications Quad Small Form-factor Pluggable 100G (QSFP28) active optical cable. Active Optical Cable assembly. 100 Gbit/sec line speed. Operating distance of 1 to 100 metres. Low Power

PRO-Q28CI4S28HW-O5M | Industry Standard | Dual OEM Solutions

This Cisco® QSFP-4SFP25G-AOC5M to Huawei® dual OEM compatible 100GBase-AOC QSFP28 to 4xSFP28 active optical cable has a maximum reach of 5.0m (16.4ft). It is 100% Cisco® to Huawei®

E25G-SFP28-AOC-1001

Technical Specifications Small Form-factor Pluggable Plus (SFP28) active optical cable. Active cable assembly 10 metres 25 Gbit/sec line speed. Operating temperature 0 - 70 c. Transmission media

100G QSFP28 to 4 x 25G SFP28 Breakout Active Optical Cable (AOC)

Quad Small Form-factor Pluggable 100G (QSFP28) to 4 x 25G (SFP28) Breakout AOC Active Optical Cable assembly. 100 Gbit/sec to 4 x 25 Gbit/sec Operating distance of 1 to 100 metres. Low Power

AOC-D-D-400G-7M Arista Compatible Active Optical Cable 400G

Arista Compatible QSFP-DD 400G Active Optical Cable QuickSpecs Technical Specifications Quad Small Form-factor Pluggable Double Density (QSFP-DD) Active Optical Cable. Active cable

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Contact Us

Continue your research online:

Website: https://cgweb.co.za
Technical inquiry: https://cgweb.co.za/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved