Visible Spectrophotometer



Overview

The used in ultraviolet–visible spectroscopy is called a UV–Vis spectrophotometer. It measures the intensity of light after passing through a sample (), and compares it to the intensity of light before it passes through the sample (). The ratio is called the transmittance, and is usually expressed as a percentage (%T). The,, is based on the transmittance:.

Key Takeaways

A visible spectrophotometer is an instrument that measures the absorption or transmission of visible light (approximately 390–700 nm) by a sample to analyze its composition and concentration.

Overview

A visible spectrophotometer is an optical instrument that quantifies how much light a sample absorbs or transmits at specific wavelengths within the visible spectrum, typically from 390 to 700 nm. It operates on the principle that different substances absorb light differently depending on their molecular structure, allowing identification, quantification, and purity assessment of compounds.

Working Principle

The device works by passing a beam of visible light through a sample contained in a cuvette. The light that emerges is measured by a detector, and the absorbance is calculated using the Beer-Lambert law, which relates absorbance to concentration and path length. Some models use a single beam, measuring light before and after the sample sequentially, while double beam models compare the sample and reference simultaneously for higher accuracy.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Components

Key components include: Light source: Typically a tungsten lamp for visible light. Monochromator: A prism or diffraction grating that isolates specific wavelengths. Sample holder (cuvette): Usually made of glass or quartz for visible light measurements.

Detector: Converts transmitted light into an electrical signal proportional to intensity.

Display/

Readout: Shows absorbance or transmittance values.

Applications

Visible spectrophotometers are widely used in: Biochemistry: Quantifying nucleic acids and proteins. Chemistry: Studying transition metals and organic compounds. Quality control: Ensuring color consistency in manufacturing.

Environmental analysis: Measuring pollutants in water or soil. AdvantagesNon-destructive and versatile. Can handle various sample types: liquids, solids, powders, and thin films.

Provides both qualitative and quantitative data. VariantsUV-Visible spectrophotometers: Extend measurement into the ultraviolet range (190–400 nm) for broader analysis. Portable and bench-top models: Suitable for routine laboratory work.

In summary, a visible spectrophotometer is an essential laboratory tool for analyzing the optical properties of samples in the visible light range, providing critical data for research, quality control, and chemical analysis.

Article Content

Ultraviolet–visible spectroscopy

OverviewUltraviolet–visible spectrophotometerOptical transitionsApplicationsMicrospectrophotometryAdditional applicationsSee also

The instrument used in ultraviolet–visible spectroscopy is called a UV–Vis spectrophotometer. It measures the intensity of light after passing through a sample (), and compares it to the intensity of light before it passes through the sample (). The ratio is called the transmittance, and is usually expressed as a percentage (%T). The absorbance,, is based on the transmittance:

Visible Spectrophotometer | Labcompare

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Find, compare, and request a quote for visible spectrophotometers across leading suppliers at Labcompare; including access to product citations, related published figures, and first-hand reviews

UV-Vis Spectrophotometers

Get high precision and functionality in a simple yet sophisticated visible spectrophotometer. The Thermo Scientific™ GENESYS™ 30 Visible

UV-Vis Spectrophotometers | Fisher Scientific

Browse a full range of UV-Vis Spectrophotometers products from leading suppliers. Shop now at Fisher Scientific for all of your scientific needs.

UV-Vis Spectroscopy: Principle, Parts, Uses, Limitations

It is a qualitative, quantitative, and analytical technique that compares a sample with a blank or reference sample to measure the amount of

Visible Spectrophotometer

;Visible SpectrophotometerSpectrophotometer, find complete details about Spectrophotometer - Huanghua Faithful Instrument Co.,LTD

Hitachi U-5300 Dual-Beam Ultraviolet-Visible Spectrophotometer

The Hitachi U-5300 is a dual-beam ultraviolet-visible (UV-Vis) spectrophotometer engineered for precision absorbance, transmittance, and reflectance measurements across a broad spectral range

Double Beam UV Visible Spectrophotometer, SP-MUV25

Double Beam UV Visible Spectrophotometer, SP-MUV25 Wavelength Range: 190-1100 nm Spectral Bandwidth: 2.0 nm Photometric Mode: T, A, C, E LSI design significantly improves system scalability

VWR® UV-6300PC, UV/Visible Spectrophotometer | VWR, part of

Learn more about VWR® UV-6300PC, UV/Visible Spectrophotometer and discover high-quality laboratory products and solutions from VWR, part of Avantor

Ultraviolet And Visible Spectrophotometer(UV) Market Size: Global ...

The global market overview of the Ultraviolet And Visible Spectrophotometer (UV) Market provides a unique perspective on the key trends influencing the industry worldwide and in major markets ...

Buy Spectrophotometer, UV-Vis, Fluor For Sale, New & Used Prices

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Buy new and used UV/Vis spectrophotometers and other spectroscopy equipment. UV/VIS Systems, Dual Beam, Spectronic 21, Photomultiplier Tubes, and more

Double Beam UV/Visible Spectrophotometer LMUD-A106 -Double

Labmate Double Beam UV/Visible Spectrophotometer offers a wavelength range of 190 to 1100 nm for UV and visible analysis. Dual beam technology with selectable spectral bandwidths of 0.5 to 4.0 nm

Agilent 8453 UV-Visible Spectrophotometer

The Agilent 8453 UV-Visible Spectrophotometer is available from BioNex Scientific as a quality-verified, used / refurbished unit. It is inspected and function-tested before shipment, and the exact condition

Report on global Ultraviolet And Visible Spectrophotometer ...

The "Ultraviolet And Visible Spectrophotometer (UV) Market" is experiencing higher than anticipated demand compared to pre-pandemic levels. Additionally, this exclusive Report presents

Qualification of UV spectrophotometer | PPTX

The document outlines the qualification process for UV-Vis spectrophotometers, emphasizing the importance of Design Qualification (DQ), Installation Qualification (IQ), Operational Qualification

UV-Visible spectrosphotometer.pptx UV–Visible Spectroscopy ...

This presentation delves into the core instrumentation of UV–Visible spectroscopy—covering light sources, monochromators, cuvette materials, and advanced detectors like phototubes,

Clarkson Laboratory and Supply Inc

7410 Scanning Visible Spectrophotometer Clarkson Price: e-mail sales@clarksonlab Clarkson 741001 7410 Scanning Visible Spectrophotometer Jenway 741001

DOSIsoft Spectrophotometers

Simultaneous Double Wavelength UV-Visible Spectrophotometer SAFAS Xenius DWL Exceptional performances and sensitivity SAFAS Xenius DWL is an outstanding DOUBLE WAVELENGTH

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Contact Us

Continue your research online:

Website: https://cgweb.co.za
Technical inquiry: https://cgweb.co.za/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved