Weight Table for Ladder-Type Cable Trays



Overview

Ladder Cable Tray Values are applicable to all resin systems, where possible. Cable Tray Sizes and Weights Chart | PDF The document provides pricing inform.

Key Takeaways

Ladder-type cable trays typically weigh between 5 kg/m to 75 kg/m depending on material, rung spacing, and tray dimensions.

Metallic Ladder Trays

Metallic ladder trays, commonly made from steel or aluminum, have weights that vary with rung spacing and tray width. For example, standard steel ladder trays with 6" (150 mm) rung spacing can carry an average load of 75 kg/m, while wider trays or those with closer rung spacing may weigh more per meter due to additional material reinforcement and welding requirements. Aluminum trays are lighter, with typical widths of 90 mm to 203 mm, and are often used where reduced weight is critical.

Fiberglass and Composite Ladder TraysFiberglass-reinforced plastic (FRP) ladder trays are lighter than metallic trays and are designed for corrosion resistance and chemical environments. Pultruded or molded FRP trays have a glass fiber to resin content of 45–65% by weight, with molded components slightly lower at 25–45% resin content. The weight of these trays depends on the nominal loading depth (e.g., 2" to 9") and the span between supports.

FR

P ladder trays are engineered to meet IEC 61537 Safe Working Load (SWL) standards, ensuring mechanical integrity while maintaining a lower weight compared to steel.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Factors Affecting Tray Weight

Rung Spacing: Closer rung spacing increases material usage and weight. Common spacings are 150 mm (6"), 225 mm (9"), and 300 mm (12"),. Tray Width and Depth: Wider and deeper trays require more material, increasing weight.

Material Type: Steel is heavier but stronger; aluminum and FRP are lighter but may require additional support for long spans. Load Requirements: Trays designed for higher cable loads or longer spans are reinforced, increasing weight per meter.

Typical Weight Ranges

Steel ladder trays: 5–75 kg/m depending on width, rung spacing, and load rating. Aluminum ladder trays: 5–25 kg/m for standard widths and rung spacing. Fiberglass ladder trays: 4–20 kg/m depending on resin content, fiber reinforcement, and tray depth.

Understanding these weight ranges is essential for structural support design, span calculations, and installation planning, ensuring safe and efficient cable management in industrial or commercial electrical installations.

Article Content

Cable Tray Sizes and Weights Chart | PDF

The document provides pricing information for ladder cable tray and perforated cable tray in Indian rupees per meter for various tray widths, material thicknesses, and heights.

TECHNICAL AND SIZING DATA

Determine ladder tray types and sizes, rung spacing, covers if required, the span and support locations and types. If possible avoid the use of unsymmetrically (eccentrically) loaded supports.

Enduro_Specification_Ladder Cable Tray_04-30-21

For International Standards, the manufacturer shall declare the tray system Safe Working Load (SWL) per the International Electrotechnical Commission (IEC) 61537 and publish in the form of a table or

Cable Tray Weight Calculator | Steel, SS & Aluminum | KWCalc

Use this reference table to quickly identify approximate weights per meter for various standard cable tray configurations. Sizing assumes standard industrial designs in galvanized steel and aluminum.

Tray and Ladder Sizing by Cable Capacity Calculator – IEC

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Proper tray and ladder sizing ensures safe, efficient, and maintainable electrical installations in all engineering applications. IEC 61537 and IEC 60364 require evaluating tray dimensions based on

Cable Tray Weight Calculator

Compute tray weight from dimensions, thickness, and material density. Include covers, perforation, joints, and safety factor options. Download clear CSV and PDF reports for documentation.

GUIDE CABLE TRAYS TECHNICAL

NEMA VE 1-2017 Specifies requirements for metal cable trays and associated fittings designed for use in accordance with the rules of Canadian Electrical Code, Part I and the National Electrical Code®

CABLE LAddEr TrAY

Cable tray system components and cable ladder tray system components have been declared electrically non conductive. An overall accuracy of surface resistance has been guarantee: surface

B-Line series Cable Tray Design Considerations

Is your cable tray system optimized for safety, dependability, space and cost savings? Cable tray (or cable ladder) systems are a popular alternative to electrical conduit systems, as they have an

Wire Weight Calculator | Cable Weight Tool

Calculate electrical wire weight for copper and aluminum conductors. Free tool for cable tray loading and shipping estimates.

Electrical Data Sheet_Ladder Tray Weights_METRIC_05-27-10 dd

Ladder Cable Tray - Weights, kg/m ... Values are applicable to all resin systems, where possible. 0710 16602 Central Green Blvd. Houston, TX 77032

CABLE LADDER SYSTEM

C. TRAY TYPES Ladder cable tray. Ladder shall consist of two side-rails with rungs riveted to the bottom flange of the side-rails. rungs shall be spaced 8” or 12” (200 or 300 mm) on center. rungs

CABLE TRAY SYSTEMS GUIDE

Steel Ladder System Hubbell''s NEXTFRAME® Ladder Tray is the effective and widely used cable runway that supports and delivers bundles of cable between cabinets, racks, and closets, along

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Cable Tray Weight Chart: Accurate Per Meter Weights

Need the cable tray weight chart? Find accurate per-meter weights for steel, aluminum, and FRP trays. Click to explore reliable data for your project needs.

Best Practice Guide to Cable Ladder and Cable Tray Systems

Introduction This publication is intended as a practical guide for the proper and safe* installation of cable ladder systems, cable tray systems, channel support systems and associated supports.

Cope Ladder Master Spec

Cable tray systems are defined to include, but are not limited to straight sections of [ladder type] [trough type] [solid bottom type] [channel type] cable trays, bends, tees, elbows, drop-outs, supports, and

Cable Tray Technical Guide A practical guide to product selection and ...

SOLID-BOTTOM CABLE TRAY Providing additional cable protection, solid-bottom cable tray is sometimes preferred to support and protect numerous small instrumentation and control cables.

How To Calculate Weight Of Cable Tray » Wiring Work

Understanding how to calculate the weight of a cable tray is essential for those who are involved in electrical wiring and electrical installations. Knowing the correct weight capacity of the

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved

Contact Us

Continue your research online:

Website: https://cgweb.co.za
Technical inquiry: https://cgweb.co.za/project-enquiry.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CGWEB NETWORK INFRASTRUCTURE - All rights reserved